

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/07/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155217	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 11/06/2014
NAME OF PROVIDER OR SUPPLIER WATERS OF HUNTINGBURG THE			STREET ADDRESS, CITY, STATE, ZIP CODE 1712 LELAND DR HUNTINGBURG, IN 47542		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{F 000}	<p>INITIAL COMMENTS</p> <p>This visit was for Post Survey Revisit (PSR) to the Recertification and State Licensure Survey completed on 9/15/14.</p> <p>This visit was done was done in conjunction with the PSR to the Investigation of Complaint IN00153773 completed on August 13, 2014.</p> <p>Survey dates: November 5, & 6, 2014</p> <p>Facility number: 000122 Provider number: 155217 AIM number: 100290560</p> <p>Survey team: Terri Walters RN- TC Amy Wininger RN Sylvia Scales RN Dorothy Watts RN</p> <p>Census bed type: SNF/NF: 63 Total: 63</p> <p>Census payor type: Medicare: 6 Medicaid: 39 Other: 18 Total: 63</p> <p>Waters of Huntingburg was found to be in compliance with 410 IAC 16.2-3.1 in regard to the PSR to the Recertification and State Licensure Survey.</p> <p>Quality review completed on November 6, 2014 by Jodi Meyer, RN</p>	{F 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.